

ALUMINIUM GATES AND FENCES





CHOOSE WITH CONFIDENCE...



LA TOULOUSAINE, 60 YEARS OF TRUST!

Over six decades, La Toulousaine has mastered designing reliable products with impeccable quality.

Our experts and industrial resources are grouped together at our Toulouse site. Our often patented accessories are tested at length in our test center. Three hundred technicians, designers, operators and customer service providers work together for greater responsiveness: every situation has a solution!

Sixty years of history has led to the construction of the biggest network of recommended professionals in France. A good product also with a high quality installation.

With more than a million products installed in Europe, La Toulousaine, a French manufacturer, is undeniably a premium supplier.

Table of Contents







Choose your gate6Timeless22Contemporary42Traditional60Technical Specifications70



ALUMINIUM A HIGH QUALITY MATERIAL





Mechanical Strength



100% Recyclable





See warranties on: www.la-toulousaine.com For vour and vour chil

For your and your children's safety, all our gates comply with the EN 13241 + A1 European Standard





MECA'CLAV® ASSEMBLY SYSTEM

Designed to last and made to measure, LA TOULOUSAINE solutions benefit from MECA'CLAV® technology which ensures the perfect rigidity of the frame without altering the design of the product.

RESISTANCE

Our innovative and patented assembly principle ensures flawless hold over time.

STURDINESS AND FINESSE

Composed of multi-chamber sections, our MÉCA'CLAV® system gives our gates exceptional strength while offering the finest lines on the market.



POWDER COATING A FAVOURITE FOR HIGH END PRODUCTS!

A PERFECT FINISH

We carry out the lacquering of our gates after assembly on our automated line, guaranteeing flawless quality.

Total control of the powder coating process allows for uniformity and and a great diversity of colours and textures. Confident in our quality, we guarantee our paint for 10years(1).

LACQUER

La Toulousaine has chosen AkzoNobel Powder Coatings, a world leader of powder coating. All selected powder coatings meet the Qualicoat Class 2, GSB and AAMA 2604 standards and have over 30 years of experience.

The original Interpon collections adorn prestigious monuments all over the world, such as The Shard in London and the Tour First in Paris.







DARE TO BE DIFFERENT PERSONALISE THE COLOURS!



High end Class 2 lacquer

GREAT CHOICE OF COLOURS AND TEXTURES

Because it is the first visible element of your home, your gate must be rerkable. This is why La Toulousaine only uses paints with Qualicoat Class 2, GSB Master and AAMA 2604.certifications.

Formulated in high durability Interpon D2525 polyester, they have excellent UV resistance and meet the most stringent requirements.

• The Structura Collection

• The Structura D2525 Collection offers Ral colors in textured finishing, which are highly resistant to wear, scratches and impacts.

• The Futura Collection

The Futura Collection, designed in collaboration with the International Style Agency Peclers Paris, combines colour and light with metallic effects and goes beyond with sandblasted aspects.


The aesthetics of its fashionable hues, linked to excellent properties make it a favourite for architects. Let your wishes run wild and personalise your gates, barriers and fences.


STANDARD

• Structura: 18 matt aspect colors, lightly structured

OPTIONS

- Structura : 10 matt aspect colours, lightly structured
- Futura : 15 tmatt aspect colours, finely sandblasted and metallic
- RAL : 60 smooth aspect colours
- Wood decor: medium oak look(1)








LA TOULOUSAINE / 11



EVERYTHING YOU NEED TO KNOW ABOUT OUR GATES!







DAILY COMFORT SWING GATE

MOTORISED WITH HINGED ARMS

Open the gate from your car without waiting in the road, or welcome a guest from inside, now that's comfort!

- Hinged arms
- Remote control
- Stops when blocked

IM 5000 INVISILE MOTOR **AESTHETIC AND FUNCTIONAL**

Ideal for responding to complex situations, the invisible motor charms in all setups.



- Motors integrated into the gate



Aesthetic and simple



OPEN BY PHONE

HOME



DAILY COMFORT SLIDING GATE

MOTORS ON THE GROUND

Pedestrians, cyclists or motorists, the motorisation of your sliding gate offers an opening style adapted to your daily life.

- Partial opening for pedestrians
- Remote control
- Stops when blocked



INVISIBLE TOTEM MOTOR: AESTHETIC AND FUNCTIONAL

Truly focused technology, our TOTEM motor is completely integrated into the design and colour of the gate.

- Sleek design
- Quick opening
- Anti lift-off and anti vibration guides





Remote controls



Wireless flashing light







YOUR NEEDS OUR SOLUTIONS

REDUCED SIZE (SWING GATES)


Choose from our range of motors the style which fits your needs.

With reduced size and internal or external opening, the IM 5000 motor can meet any requirements of off-slope installation.





Arm motor to 110°




to 110°

IM 5000 Overlay mount to 180°

Outwards opening on private path


Large opening angle





OPENING ON A SLOPE

By developing the installation on the bar and the adjustment of the slope in factory, La Toulousaine ensures a highly functional mechanical operation in a situation that was previously deemed too difficult (manual









CABLE CROSSOVER

- Avoid bleeding Allows a perfect installation Rectifies a slight false ground level
- Resistant to the passing of all vehicles.





ALUMINIUM PILLAR

- With or without sealingPainted the colour of the gateInvisible ground fixings



INTEGRATED METRE OR LETTER BOX

• Fence unit for letter boxes or metres



INNOVATION & PERSONALISATION

With years of research and development, La Toulousaine has been able to industrialise the expertise of craftsmen so that each gate can be unique. You design it and we will make it!

TRUE PERSONALISATION

• Our technology allows you to transpose your wildest ideas. Do you want to send a message, or highlight a passion? Use your gate as a means of communication.



A CLOSER LOOK AT SHEET METAL GATES

simple: every gate we make is unique!"

You can provide a high definition photo or logo



SEE LIFE IN COLOUR

 Our Intuition, Arpeggio and Melody lines allow you to combine several colours. A simple nuance or complete contrast, two-toned is open to you.



BEAUTIFUL MATERIALS

• Wood is back. Its warmth is unrivalled, and it matches so well with aluminium. Very popular with lovers of architecture, mixed aluminium and wood is a safe bet.





Walnut

The second

Aged pine

LA TOULOUSAINE / 19



HARMONISE!

We also design and make garage doors. We offer coordinated sets of gates, garage doors and rolling shutters.

Play with the colour, a message, a pattern or windows.



PERSONALISED GATE



LA TOULOUSAINE / 21



Discover our photo library on: www.latoulousaine.com

TIME HAS NO EFFECT ON THEM!

The We-



Horizon Line24Harmony Line28Privacy Line32Discretion Line36Access Line40

TIMELESS HORZON

Open your home to new horizons!

Completely openwork, with slats or tubes, this timeless line gives your gates and fences elegance and class. It will showcase your garden and paths with a design that will stand the test of time. Igis Swing Gate

Essen Gate the state of the 1 2 2 +++ The second s 24288200

Miami Swing Gate

Tirana Fence

Tirana Sliding Gate

TIMELESS BORZON





Horizontal crossbeam required for swing gates with a height exceeding 1400 mm

Horizontal reinforcement rail for sliding shaped models

Models with spikes minimum height from ground: 1,200 mm

STANDARD



slats(3)



25 mm Tubes and spikes Tubes



Fleur de Spear Water Standard head droplet spike Lys

OPTIONS

Decoration (all models except Miami and Blades and Tubes models)



spacing by

adding tubes

in the bottom

section



by adding

overflowing tubes

and spikes in the

bottom section






Imitation two leaf sliding gates(4)


Horizontal support beam

LA TOULOUSAINE / 26

GATES



FENCES



Find all our colours on page 73



(1) only with 70mm slats - vertical crossbeam is obligatory from 1400mm per leaf.

(2) only available for 1 or 2 leaf swing gates(3) only for Miami gate

(4) all Horizon models except Miami(5) alignment not guaranteed between the horizontal slats of the gate and the fence

TIMELESS HARMONY

Find the right balance! Openwork top with filled base: Perfect harmony between privacy and opening to the outside. This line is a classic, the right balance in the service of elegance and good taste.

Swing gate and Heracles gate



Wilson sliding gate with diagonal base slats






Capitol swing gate with 100 mm slats and horizontal base slats

1



Helsinki sliding gate with two leaf imitation



Sofia swing gate


TIMESLESS HARMONY








GATES



FENCES



Find all our colours on page 73

(1) only with 70mm slats - vertical crossbeam is obligatory from 1400mm per leaf.

(2) only available for 1 or 2 leaf swing gates(3) only for Miami gate

TIMELESS BRIVACY

Preserve the privacy of your home! Fully solid covering with horizontal, vertical or diagonal slats. An elegant and resolutely contemporary design: this line is recommended for families seeking privacy and security for their home. Bristol sliding gate





Sicily swing gate with 150mm slats

Sicily swing gate with 75mm slats








Bristol swing gate with aluminium posts



Solunto swing gate with wood finish

TIMELESS PRIVACY

GATES



GATES



Find all our colours on page 73

(1) only available for 1 or 2 leaf swing gates (2) with 75 or 150 mm slats **FENCES**

TIMESLESS BISCRETION

Choose tranquillity! A blackout filling that reduces wind exposure, this line offers an ideal compromise between HARMONY and PRIVACY. The perfect balance for the family in search of serenity and tranquillity. Malta Swing Gate











Floriana Swing Gate






Victoria Swing Gate


TIMELESS DISCRETION

GATES



GATES

FENCING





(1) only available for 1 or 2 leaf swing gates (2) optional, obligatory for gates taller than 1400mm (3) base section available in 75 or 150 mm horizontal slats


TIMELESS

ACCESS

A gate to fit your budget! This line is an ideal compromise, the perfect balance for your first investment.







Find all our colours on page 73

5.

h





Discover our photo library at: www.latoulousaine.com

CONTEMPORARY DESIGN & TREND WITH THE TIMES

143. 4. 200

STATISTICS IS

AND A DESCRIPTION OF A

AND DESCRIPTION OF A DE

SAGAR BERGER STREET, STORE

COMPANY OF THE OWNER OF THE OWNER

ALL ROOM

CONTRACTOR DE LA CALINA

- BORNANDAL SALES

CONTRACTOR OF STREET

State of the second

LA TOULOUSAINE / 42



CONTEMPORARY

Show some creativity!

Openwork filling, solid or personalised, this aerated line has a resolutely modern design that gives strength and character to your outdoor space Vignemale Creation swing gate

Tulle swing gate

Escalquens sliding gate



"Evry" gate with personalised number plate

"Evry" swing gate

CONTEMPORARY SCREATION






STANDARD

LA TOULOUSAINE / 46

Filled section held by the frame



OPTIONS

Filled section held by the frame



PATTERNS



Arcachon	Annecy	Sète	Argelès	
Vesoul	Golinhac	Yvoire	Evry	
Albi	Escalquens	Béziers	Aloé	
Toulouse	Villefranche			
Le Verdon				Personalisation: you can provide us with a high definition photo or logo, subject to feasibility.
				* >
Tulle Patterns vary deper	nding on the size of the	gate		
Find all our co	blours on page	75		

CONTEMPORARY

Show attention to the details! original patterns by punching aluminum sheet on a straight frame Let your creativity go wild and interchangeable sheet system.



Yin swing gate



Personalised swing gate





Target sliding gate



Wood filled sliding gate







Gate with stamped rectangles and two tone option


CONTEMPORARY *INTUTION*





STANDARD

Filled section held by studs



perforation(2)

Studs



Studs painted the same colour as the gate

OPTIONS



Plots



PATTERNS



4	4	(());;;;;		
Astorg	Perdiguère	Wave	Checkerboard	_
4	Þ.			
Aneto	Marbore	Target	Weave	_
r	\sim			
Vignemale	Estats	Yin	Pyramid	_
	17			
Mont Perdu	Pic du Midi	Sun	Perforated	_
		XX		
Pic Long	Canigou	Parabole	Netting	_
=				
La Munia	Néouvielle			_
Shrader	Montcalm			_
The patterns vary dep	pending on the size of	the gate		



LA TOULOUSAINE

Personalisation: you can provide us with a high definition photo or logo, subject to feasibility.



(1) sauf modèle Voilage (2) uniquement modèle Voilage

_

Contemporary

ZARPEGAIC


- 100

Strike the right chord!

Only on straight frames, each gate in this line consists of a solid part and a part to choose. Like a piece of music to find the best match, one that will elegantly adorn your outdoor spaces.









Veracruz swing gate

Vancouver gate with stamped squares

Vogan swing gate, sheet metal option, concealing perforations





CONTEMPORARY **ZARPEGGIO**





STANDARD

Filled Section held by the frame



70 mm slats 25mm tubes Filled section Held by studs Studs⁽¹⁾

Perforated



Stamped Studs painted the same colour as the squares gate


OPTIONS

Filled section held by the frame





Two tone⁽¹⁾




Studs⁽¹⁾

Stamped circles Stamped Personalisation⁽¹⁾ rectangles

Studs painted the same colour as the frame or the filled section

Slats





Contemporary

ACCORD

The Best Seller

Resolutely modern, the grooves every 250 mm bring a pure design to your outdoor space.

GATES



Jersey

Guernesey⁽¹⁾



STANDARD

Models Jersey, Guernsey, Chausey

250mm slats



windows

150mm slats

Models Aurigny

Find all our colours on page 75

(1) Guernsey 2 or 3 portholes depending on dimensions.

CONTEMPORARY SINELODY

Marrying desires

On a straight frame only, this line plays with the position of the filled sections and patterns.



LA TOULOUSAINE / 58

Largo swing gate

GATES

No. of Contract







STANDARD

Upper and lower filled sections held by the frame











Positioning of the crossbeams



Find all our colours on page 75



OPTIONS







Discover our photo library at www.latoulousaine.com

TRADITIONAL ELEGANCE & CHARM





Scalloped 62 Non-scalloped 66

SCALLOPED?





SCALLOPED FINISH

NON-SCALLOPED FINISH

TRADITIONAL NON-SCA

Choose harmony and refinement!

The look of wrought iron, with the advantages of aluminium: this timeless line adorns your outdoor spaces with character, elegance and charm.



Gourdon 2 leaf gate

Conros swing gate




Conros swing gate with rosette option and golden spikes Conros gate

Swing gate and matching Ennery gate

TRADITIONAL NON-SCALLOPED

Inverted Inverted Inverted Police hat Slanting⁽¹⁾ Straight Semi circle police hat semi circle slanting (1) Tubes and spikes Rio Prague Bogota Panama Montevideo Caracas Lapaz Tubes, spikes, rings and rosettes Conros Bousquet Ennery Gourdon

STANDARD





Fleur de Spear Water Standard

Lys head droplet spike



Base section



Sheet metal Sheet metal with rosette

OPTIONS Spikes and rosettes

Fleur de Spear Water Standard


Lys head droplet spike

Golden spikes and rosettes (other colours available)



GATES

2 leaf Imitation for sliding gate



GATES

FENCING



TRADITIONAL SCALLOPED

Choose harmony and refinement!

For an aesthetic close to real wrought iron, we have retained the traditional process of fixing the scalloping behind the tubes.

and spikes option






Lastours swing gate

Prague sliding gate with scalloping option

TRADITIONAL SCALLOPED





STANDARD

Filled Section



lubes, spikes, rings and scalloping





Fleur de Spear Water Standard Lys head droplet spike

Base section



t metal Sheet metal with rosette


OPTIONS

Spikes and rosettes





Two leaf imitation for sliding gates







Discover our photo library at www.latoulousaine.com



19.87 Room

111.40

1400

C

0

and a second s

8

Timeless	72
Contemporary	74
Traditional	76
Motors	78
Accesories	80
lelp with measurements	s 82

Garage 72.52

BC

Internation of the second second

105


can

H

....

TIMELESS


DIMENSIONAL LIMITS



SWING

LA TOULOUSAINE

Beyond these limits, ask an expert for advice. For safety reasons, models with spikes must have a minimum height of 1200 mm.



SLIDING GATES



FENCING





1 Leaf Distance between pillars in mm

		Min	Max
leaf gate	Horizon		
f ga	Harmony		3000
1 leaf	Privacy	800	3000
	Discretion		
	Access		2000

2 leaf

Distance between pillars in mm

		Min	Max
	Horizon		5000
ч <u>н</u> ,	Harmony	2000 (straight)	
2 leaf	Privacy	2500 (shaped)	
	Discretion		
	Access	1600	3600

Sliding

Distance between pillars in mm

	Min	Max	
Horizon		5300	
Harmony	1000 (straight)		
Privacy	2500 (shaped)		
Discretion			
Access	1000	3600	
	Harmony Privacy Discretion	Horizon Harmony Privacy Discretion	

Fencing

Distance between pillars in mm

		Min	Max
Fencing 1 unit	Horizon		3000
	Harmony	400	
	Privacy		
	Discretion		
	Access		2500

Rail

100mm slat (1500, 2000 or 3000 mm long)

Height beneath cap in mm

		Minn	Max
1 leaf gate	Horizon	800	2000
	Harmony		
	Privacy		
	Discretion		
	Access		1600

Height beneath cap in mm

		Min	Max
2 leaf	Horizon	800	2000
	Harmony		
	Privacy		
	Discretion		
	Access		1600

Height beneath cap in mm

		Mini	Maxi
Sliding	Horizon	800	2000
	Harmony		
	Privacy		
	Discretion		
	Access		1600

Height beneath cap in mm

		Min	Max
Fencing 1 unit	Horizon	400	2000
	Harmony		
	Privacy		
	Discretion		
	Access		1600



Blue 2700

Green 2300

Grey 2150

Grey 2500

Green 2100

Black 2100

Black 2200



WOOD FINISH (OPTION)

Medium oak look




TECHNICAL SPECIFIC ATION CONTEMPORARY

DIMENSIONAL LIMITS





Beyond these limits, ask an expert for advice.




SWING

GATES

SLIDING GATES



FENCING



1 leaf Distance between pillars in mm

		Min	Max
1 leaf gate	Creation	800	2500
	Intuition		
	Arpeggio	1250	3000
	Accord	000	3000
	Melody	800	2500

2 leaf

Distance between pillars in mm

		Min	Max
2leaf	Creation	2000	5000
	Intuition		
	Arpeggio		
	Accord		
	Melody		

Sliding

Distance between pillars in mm

		Min	Max
	Creation	1000	5000
D	Intuition		
Slidinç	Arpeggio	2500	4500
5	Accord	1000	5300
	Melody	1000	5000

Fencing

Distance between pillars in mm

	Mini	Maxi
-	400	2500
nit	600	2000
Fencing 1 unit		
	500	3000

Height beneath cap in mm

		Min	Max
1 leaf gate	Creation	800	
	Intuition		
	Arpeggio		2000
	Accord		
	Melody	1200	

Height beneath cap in mm

		Min	Max
2 leaf	Creation	800	2000
	Intuition		
	Arpeggio		
	Accord		
	Melody		

Height beneath cap in mm

		Min	Max
Sliding	Creation	800	
	Intuition		
	Arpeggio		2000
	Accord		
	Melody		

Height beneath cap in mm

Fencing 1 unit	Mini	Maxi
	400	2000
Ш.	400	2000



TRADITIONS TRADITIONS

DIMENTIONAL LIMITS



Beyond these limits, ask an expert for advice. For safety reasons, models with spikes must have a minimum height of 1200 mm.



SWING

GATES

SLIDING GATES



1 leaf Distance between pillars in mm

2 leaf

2 leaf

Sliding

Sliding

e		Min	Max
1 leaf gat	Non-scalloped	800	3000
	Scalloped	000	2500

Distance between pillars in mm

Non-scalloped

Scalloped

Distance between pillars in mm

Non-scalloped

Scalloped

Min

2000

(shaped)

(straight) 2500 5000

Min Max

5300

1000

(straight) 2500 (shaped) 5000

Max

Height beneath cap in mm

ate		Min	Max
af ga	Non-scalloped	1200	2000
1 lea	Scalloped	1200	2000

Height beneath cap in mm

		Min	Max
af	Non-scalloped	1000	2000
216	Scalloped	1200	2000

Height beneath cap in mm


		Min	Max
Sliding	Non-scalloped	1200	2000
	Scalloped	1200	2000

FENCING




Fencing

Distance between pillars in mm



Height beneath cap in mm







MOTORS FOR SWING GATE





Remote control / Flashing light / Photocells

Electronic cabinet box

IM 50 MOTO swing gates				Ļ	
		LA TOU	OUSAINE	so	m f y.
		IM 5000 ⁽¹⁾	LT 100	Axovia 220B Comfort Pack	Multipro Comfort Pack
	Classic		•		•
Re	educed opening space	•	•		•
	Wide opening angle	•			•
	Outwards opening	•			•
•	Solar ⁽¹⁾				•
QXID	Compatible Axibox				
Compatible Tahoma	RTS ⁽²⁾			•	•
	IO ⁽¹⁾⁽³⁾				
	Max opening angle	180°	110°	100°	110° max
	No of cycles ⁽⁴⁾ /day	Intense use	200	20 10 (solar)	40 10 (solar)
			1	1	1

External Integrated Integrated External



MOTORS FOR SLIDING GATES

Centralized technical unit

Flashing light

Adjustable photocells



TOTEM MOTOR FOR SLIDING GATESC

				OUSAINE	somfy.	
			TOTEM	LT 200	Elixo 500 3S	Elixo 460C solar
Operation						
	QXI	•	•	•		
	Tahoma Compatible	RTS ⁽²⁾			•	
		IO ⁽¹⁾⁽³⁾			•	
Technical information		40	250	30	30 10 (solar)	
Provided Accessories	Remote control / Flash		•	٠		
	Ele	Integrated	Integrated	Integrated	Integrated	

(1) Solar and IO operation are not compatible
(2) RTS Tahoma compatible without feedback
(3) IO Tahoma compatible with feedback
(4) 1 cycle = 1 open + 1 close

ACCESSORIES

OPENING BY PHONE



Technology for comfort at home: control the opening and closing of your La Toulousaine gate using your smartphone and our dedicated app. With this function, there is no question of forgetting codes or remote controls.

- Opening and access control by phone with your ADSL box
- No cost of communication with all types of phones without mandatory subscription
- Completely safe
- Wireless device
- Compatible with any motor and high-speed ADSL connection

AUDIO

• Family and friends can access the house in peace

AUDIO AND VIDEO DOORMAN

Our audio or video solutions allow you to identify your visitors and secure your home.



Integrated or Colour protruding front Videophone Wide angle vision



Integrated or Intercom protruding front



Wired Digicode



LA TOULOUSAINE

8A D'? A FA DE



DSV [a Digicode





DV<u>V</u> afWUa`fda^ DSV [aˈd/IUW[hVld





DSV[a`I_S^DV<u>V</u>_afW

#" 'Xg` Uf[a` ' i [dWVée'Digicode



DW_afWUa`fda∕e

DW_ afWUa`fda^

RTS remote control IO remote control

A fZWd? a face





somfy.

TOTEM





eWWUfadei [fUZ



IS™dSV[a fdS`e_[ffWd

8A D'? A FA DE





RTS Digicode



RTS wall remote



Wired key



RTS Receiver selector switch

LA TOULOUSAINE / 81




HELP WITH MEASUREMENTS

Measurements between pillars and beneath caps

Examples

• Start your measurements at the 0 point (the highest ground point)



GATE AND FENCE ALIGNMENT

Simple case


• Start your measurements at the 0 point (the highest ground point)

Position A gate with some units of fencing on one side. The wall is straight and regular, the posts are vertical.

Problem You want an alignment of the beams between the gate and the fencing.

Solution

The height of the middle crossbeam of the gate will be determined by the bottom beam of the fencing (so this height depends on the height of the fence wall). The height of the top beam of the fence (and thus the height of the fence) is determined by the height of the top beam of the gate.





If the vertical drop of the fence wall is too big, it is necessary to plan to have a mason re-level the fence wall before all measurements are taken.

In all cases

• The rules set out for the "simple" case still apply

• The height of the middle crossbeam of the gate will be aligned with the nearest fence unit.

SLOPING FENCE WALL

Uphill slope

The height of the bottom crossbeam of the fence will be adapted to the highest point of the fence wall here: on the far right.

Downhill slope

The height of the bottom crossbeam of the fence will be adapted to the highest point of the fence wall here: on the left.

Choose with confidence



www.la-toulousaine.com



To help you with your choice, trust your installer:

